

Trumpet

Design Stone Designs



abstracta



Trumpet

Design Stone Designs

Trumpet acts as a reversed trumpet - instead of producing sound, it absorbs sound. "It isn't a sound absorber with LED lighting. It's a lamp with acoustic characteristics," says Cutu Mazuelos, who designed Trumpet for Abstracta together with co-designer Eva Prego.

Specifications

Pendant sound absorber with or without lighting in different versions and sizes. Choose from a wide range of upholsteries and colours. Wire kit for adjustable ceiling suspension is included.



Absorption


Measurements W x H x D (mm)

1040 x 515/580 x 80 mm
1640 x 515/580 x 80 mm
2040 x 515/580 x 80 mm

Certificates, Images & CAD files:

<https://abstracta.se/product/trumpet/>


Downlight



Uplight




Up/downlight



Absorber




Trumpet




TECHNICAL SPECIFICATION: CE

Finish	Upholstered, ceiling suspended sound absorber in different sizes, with or without lighting. Available in uplight and downlight versions, as well as a version that features both. The sound absorbing core is made from polyester.
LED information	System power: 36/70 W. Luminaire Luminous Flux: 783LM. CCT: 2869K. SDCM: 3. CRI: 94.
Installation	Ceiling-installation. 6 m power cord, 3 m wire with ceiling anchor.
Connection	Schuko connector.
Control	Dimmable TRIAC.
Type of lens	Opal.
Dimensions	1040x515/580x80 mm 1640x515/580x80 mm 2040x515/580x80 mm
Weight	Downlight: 13/ 15,1/ 17,1 Kg. Uplight: 12,9/ 15,2/ 17,1 Kg. Up/downlight: 7,9/ 12,2/ 13,2 Kg. Absorber: 12,5/ 16,7 Kg.
Circularity	The product is designed to be reused and we offer 10 years spare part warranty. Use our Zero-waste recycle service when the product's lifecycle is over, see more: www.abstracta.se .





Trumpet



TECHNICAL SPECIFICATION: DALI

Finish	Upholstered, ceiling suspended sound absorber in different sizes, with or without lighting. Available in uplight and downlight versions, as well as a version that features both. The sound absorbing core is made from polyester.
LED information	System power: 70 W. Luminaire Luminous Flux: 783LM. CCT: 2869K. SDCM: 3. CRI: 94.
Installation	Ceiling-installation. 6 m power cord, 3 m wire with ceiling anchor.
Connection	Schuko connector.
Control	Dimmable.
Type of lens	Opal.
Dimensions	1040x515/580x80 mm 1640x515/580x80 mm 2040x515/580x80 mm
Weight	Downlight: 13/ 15,1/ 17,1 Kg. Uplight: 12,9/ 15,2/ 17,1 Kg. Up/downlight: 7,9/ 12,2/ 13,2 Kg. Absorber: 12,5/ 16,7 Kg.
Circularity	The product is designed to be reused and we offer 10 years spare part warranty. Use our Zero-waste recycle service when the product's lifecycle is over, see more: www.abstracta.se .



DALI